

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
 "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

162.029 Fixed Fire Ext. Systems for Uninspected Vessels

AUTOMATIC SPRINKLER CORPORATION OF AMERICA 1000 EAST EDGERTON ROAD PO BOX 180 CLEVELAND OH 44147

162.029/0013/0	APPROVED	Size 10 lbs, automatic carbon dioxide marine type fire extinguishing	system with manual back up actuator.
162.029/0014/0	APPROVED	Size 15 lbs, automatic carbon dioxide marine type fire extinguishing system	with manual back up actuator.
162.029/0015/0	APPROVED	Size 20 lbs, automatic carbon dioxide marine type fire extinguishing system	with manual back up actuator.
162.029/0016/0	APPROVED	Size 25 lbs, automatic carbon dioxide marine type fire extinguishing system	with manual back up actuator.
162.029/0017/0	APPROVED	Size 35 lbs, automatic carbon dioxide marine type fire extinguishing system	with manual back up actuator.
162.029/0018/0	APPROVED	Size 50 lbs, automatic carbon dioxide marine type fire extinguishing system	with manual back up actuator.
162.029/0019/0	APPROVED	Size 75 lbs, automatic carbon dioxide marine type fire extinguishing system	with manual back up actuator.
162.029/0049/0	APPROVED	Model "15C", 1.5 lb. Halon 1301 pre-engineered fire extinguishing systems.	Maximum protected volume is 75
162.029/0051/0	APPROVED	Model "55C", 5.5 lb. Halon 1301 pre-engineered fire extinguishing systems.	Maximum protected volume is 27
162.029/0079/0	APPROVED	Model 255C 25.5 lb Halon 1301 automatic pre-engineered fire extinguishing	system with manual backup actu

CEASE FIRE 133754 CANADA, INC 159 DENISON ST. ONTARIO MARKHAM CANADA

162.029/0080/0	APPROVED	Model "HAE-3PC", 3 lb Halon 1211 automatic fire extinguishing system.	Maximum protected volume is 12
162.029/0081/0	APPROVED	Model "HAE-6PC", 6 lb. Halon 1211 automatic fire extinguishing system.	Maximum protected volume is 25
162.029/0082/0	APPROVED	Model "HAE-10PC", 10 lb, Halon 1211 fire extinguishing system.	Maximum protected volume is 427 cubic f

CONVENIENCE MARINE PRODUCTS 100 COMMERCE AVE, SW GRAND RAPIDS MI 49503

162.029/0020/2	APPROVED	FIREBOY Models "15CG" and "S15CG" 1.5 lb. automatic Halon 1301 fire	extinguishing systems.
162.029/0021/2	APPROVED	FIREBOY Models "35CG" and "S35CG" 3.5 lb. automatic Halon 1301 fire	extinguishing systems.
162.029/0022/2	APPROVED	FIREBOY Models 70CG and S70CG, 7 lb. automatic Halon 1301 fire	extinguishing systems.
162.029/0023/2	APPROVED	FIREBOY Models 100CG and S100CG, 10 lb. automatic Halon 1301 fire	extinguishing systems.
162.029/0024/2	APPROVED	FIREBOY Models "150CG" and "S150CG" 15 lb. automatic Halon 1301 fire	extinguishing systems.
162.029/0025/2	APPROVED	FIREBOY Models "200CG" and "S200CG" 20 lb. automatic Halon 1301 fire	extinguishing systems.
162.029/0032/0	APPROVED	Model 15 MA, 1.5 lb. pre-engineered Halon 1301.	
162.029/0033/0	APPROVED	Model 35 MA, 4 lb. pre-engineered Halon 1301.	
162.029/0034/0	APPROVED	FIREBOY Model 70 MA, 7 lb, automatic pre-engineered Halon 1301, maximum	protected volume is 350 gro
162.029/0035/0	APPROVED	Model 100 MA, 10 lb. pre-engineered Halon 1301.	
162.029/0036/0	APPROVED	Fireboy Model "150 MA" 15 lb. Halon 1301 pre-engineered type fire	extinguishing systems. Maximum pr
162.029/0037/0	APPROVED	Model 200 MA, 20 lb. pre-engineered Halon 1301.	
162.029/0038/0	APPROVED	Model 258 MA, 25.8 lb. pre-engineered Halon 1301.	
162.029/0067/0	APPROVED	FIREBOY MODEL "OE50-1", 1.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0068/0	APPROVED	FIREBOY MODEL "OE100-2", 2.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0069/0	APPROVED	FIREBOY MODEL "OE150-3", 3.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0070/0	APPROVED	FIREBOY MODEL "OE200-4", 4.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0071/0	APPROVED	FIREBOY MODEL "OE250-5", 5.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0072/0	APPROVED	FIREBOY MODEL "OE300-6", 6.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0073/0	APPROVED	FIREBOY MODEL "OE350-7", 7.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0074/0	APPROVED	FIREBOY MODEL "OE400-8", 8.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0075/0	APPROVED	FIREBOY MODEL "OE450-9", 9.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems.
162.029/0076/0	APPROVED	FIREBOY MODEL "OE500-10", 10.0 lb Halon 1301 automatic, pre-engineered type	fire extinguishing systems

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

162.029/0077/0	APPROVED	FIREBOY Model "OMS-200/4", 4 lbs, manual only Halon 1301 fire extinguishing	system for the protection of o
162.029/0078/0	APPROVED	FIREBOY Model "OMS-350/7", 7 lbs manual only Halon 1301 fire extinguishing	system for the protection of ou
162.029/0083/0	APPROVED	FIREBOY Model "110 CG", 11 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0084/0	APPROVED	FIREBOY Model "120 CG", 12 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0085/0	APPROVED	FIREBOY Model "130 CG", 13 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0086/0	APPROVED	FIREBOY Model "140 CG", 14 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0087/0	APPROVED	FIREBOY Model "160 CG", 16 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0088/0	APPROVED	FIREBOY Model "170 CG", 17 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0089/0	APPROVED	FIREBOY Model "180 CG", 18 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0090/0	APPROVED	FIREBOY Model "190 CG", 19 lbs, automatic pre-engineered type Halon 1301	fire extinguishing system. M
162.029/0111/0	APPROVED	Fireboy Model "CG 2-075", 2.5 lb. FE241 clean agent, pre-engineered fire	extinguishing system. Maximum
162.029/0112/0	APPROVED	Fireboy Model "CG 2-125", 4.2 lb. FE241 clean agent, pre-engineered fire	extinguishing system. Maximum
162.029/0113/0	APPROVED	Fireboy Model "CG 2-200", 6.8 lb. FE241 clean agent, pre-engineered fire	extinguishing system. Maximum
162.029/0114/0	APPROVED	Fireboy Model "CG 2-265", 9.0 lb. FE241 clean agent, pre-engineered fire	extinguishing system. Maximum
162.029/0115/0	APPROVED	Fireboy Model "CG 2-370", 12.5 lb. FE241 clean agent, pre-engineered fire	extinguishing system. Maximum
162.029/0116/0	APPROVED	Fireboy Model "CG 2-475", 16.0 lb. FE241 clean agent, pre-engineered fire	extinguishing system. Maximum
162.029/0117/0	APPROVED	Fireboy Model "CG 2-700", 10.8 kg (23.7 lb) FE241 clean agent, pre-eng.	fire ext. system. Maximum protec
162.029/0118/0	APPROVED	Fireboy Model "CG 2-900", 30.4 lb. FE241 clean agent, pre-engineered fire	extinguishing system. Maximum
162.029/0119/0	APPROVED	Fireboy Model "CG 2-1000", 15.3 kg (33.8 lb) FE241 clean agent, pre-eng.	fire ext. system. Maximum prote
162.029/0120/0	APPROVED	Fireboy Model "MA 2-075", 1.1 kg (2.5 lb.) FE241 clean agent, pre-eng. fire	ext. system. Maximum protected v
162.029/0121/0	APPROVED	Fireboy Model "MA2-125", 1.9 kg (4.2 lb.) FE241 clean agent, pre-eng. fire	ext. system. Maximum protected v
162.029/0122/0	APPROVED	Fireboy Model "MA 2-200", 3.1 kg (6.8 lb) FE241 clean agent, pre-eng.	fire ext. system. Maximum protect
162.029/0123/0	APPROVED	Fireboy Model "MA2-265", 4.1 kg (9.0 lb.) FE241 clean agent, pre-eng. fire	ext. system. Maximum protected v
162.029/0124/0	APPROVED	Fireboy Model "MA 2-370", 5.7 kg (12.5 lb.) FE241 clean agent, pre-eng.	fire ext. system. Maximum protect
162.029/0125/0	APPROVED	Fireboy Model "MA2-475", 7.2 kg (16.0 lb.) FE241 clean agent, pre-eng. fire	ext. system. Maximum protected
162.029/0126/0	APPROVED	Fireboy Model "MA2-700", 10.8 kg (23.7 lb.) FE241 clean agent, pre-eng.	fire ext. system. Maximum protec
162.029/0127/0	APPROVED	Fireboy Model "MA2-900", 13.8 kg (30.4 lb.) FE241 clean agent, pre-eng.	fire ext. system. Maximum protec
162.029/0128/0	APPROVED	Fireboy Model "MA2-1000", 15.3 kg (33.8 lb.) FE241 clean agent, pre-eng.	fire ext. system. Maximum prote
162.029/0129/0	APPROVED	Fireboy Model "MA2-1275", 19.5 kg (43.0 lb.) FE241 clean agent, pre-eng.	fire ext. system. Maximum prote

KIDDE-FENWAL INC. 400 MAIN STREET ASHLAND MA 01721

162.029/0039/0	APPROVED	"Fyre Watch" Model 170 Halon 1211 automatic pre-engineered type fire	extinguishing system. Maximum
162.029/0040/0	APPROVED	"Fyre Watch" Model 385 Halon 1211 pre-engineered Type fire extinguishing	system. Maximum protected vo

METALCRAFT, INC SEA-FIRE DIVISION 9331A PHILADELPHIA ROAD BALTIMORE MD 21227

162.029/0041/1	APPROVED	Model "G-75A", 1.5 lb. (0.68 kg) Halon 1301 pre-engineered type fire	extinguishing system. Uses recycle
162.029/0042/1	APPROVED	Model "G-150-A", 3.0 lb. (1.36 kg) Halon 1301 pre-engineered type fire	extinguishing system. Uses recycle
162.029/0043/1	APPROVED	Model "G-250A", 5.0 lb. (2.3 kg) Halon 1301 pre-engineered type fire	extinguishing system. Uses recycle
162.029/0044/1	APPROVED	Model "G-350A", 7.0 lb. (3.2 kg) Halon 1301 pre-engineered type fire	extinguishing system. Uses recycle
162.029/0045/1	APPROVED	Model "G-500A", 10.0 lb. (4.5 kg) Halon 1301 pre-engineered fire	extinguishing system. Uses recycled
162.029/0046/1	APPROVED	Model "G-800A", 16.0 lb. (7.3 kg) Halon 1301 pre-engineered type fire	extinguishing system. Uses recycle
162.029/0047/1	APPROVED	Model G-1000A, 20.0 lb. (9.1 kg) Halon 1301 pre-engineered type fire	extinguishing system. Uses recycl
162.029/0091/0	APPROVED	SEAFIRE Model "BB-75", 1.5 lbs (0.68 kg) pre-engineered, automatic Halon	1301 fire extinguishing system.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

162.029/0092/0	APPROVED	SEAFIRE Model "BB-150, 3.0 lbs (1.36 kg) pre-engineered, automatic Halon	1301 fire extinguishing system.
162.029/0093/0	APPROVED	SEAFIRE Model "BB-200", 4.0 lbs, (1.8 kg) pre-engineered type Halon 1301	fire extinguishing system. Use
162.029/0094/0	APPROVED	SEAFIRE Model "BB-250", 5.0 lbs (2.27 kg) pre-engineered, automatic Halon	1301 fire extinguishing system
162.029/0095/0	APPROVED	SEAFIRE Model "BB-300", 6.0 lbs (2.7 kg) pre-engineered, automatic Halon	1301 fire extinguishing system.
162.029/0096/0	APPROVED	SEAFIRE Model "BB-350", 7.0 lbs (3.18 kg) pre-engineered, automatic Halon	1301 fire extinguishing system
162.029/0097/0	APPROVED	SEAFIRE Model "BB-400", 8.0 lbs (3.63 kg) pre-engineered, automatic Halon	1301 fire extinguishing system
162.029/0098/0	APPROVED	SEAFIRE Model "BB-500", 10.0 lbs (4.54 kg) pre-engineered, automatic Halon	1301 fire extinguishing syste
162.029/0099/0	APPROVED	5725IRE Model "BB-800", 16.0 lbs (7.27 kg) pre-engineered, automatic Halon	1301 fire extinguishing system.
162.029/0100/0	APPROVED	SEAFIRE Model "BB-1000", 20.0 lbs (9.1 kg) pre-engineered, automatic Halon	1301 fire extinguishing syste
162.029/0101/0	APPROVED	SEAFIRE Model "SMA-75", 1.5 lb, (0.68 kg) pre-engineered, automatic Halon	1301 fire ext. system w/manua
162.029/0102/0	APPROVED	SEAFIRE Model "SMA-150", 3.0 lb(1.36 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manu
162.029/0103/0	APPROVED	SEAFIRE Model "SMA-200", 4.0 lb (1.8 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manua
162.029/0104/0	APPROVED	SEAFIRE Model "SMA-250", 5.0 lb. (2.27 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manu
162.029/0105/0	APPROVED	SEAFIRE Model "SMA-300", 6.0 lb (2.7 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manua
162.029/0106/0	APPROVED	SEAFIRE Model "SMA-350", 7.0 lb. (3.18 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manu
162.029/0107/0	APPROVED	SEAFIRE Model "SMA-400", 8.0 lb (3.63 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manu
162.029/0108/0	APPROVED	SEAFIRE Model "SMA-500", 10.0 lb (4.54 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manu
162.029/0109/0	APPROVED	SEAFIRE Model "SMA-800", 16.0 lb (7.27 kg), pre-engineered, automatic Halon	1301 fire ext. system w/manu
162.029/0110/0	APPROVED	SEAFIRE Model "SMA-1000", 20.0 lb, (9.1 kg) pre-engineered, automatic Halon	1301 fire ext. system w/manu
162.029/0130/0	APPROVED	SEAFIRE Model "FG50", 1.9 lb (0.9 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0131/0	APPROVED	SEAFIRE Model "FG75", 2.9 lb (1.3 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0132/0	APPROVED	SEAFIRE Model "FG100", 3.8 lb (1.7 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0133/0	APPROVED	SEAFIRE Model "FG125", 4.8 lb (2.2 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0134/0	APPROVED	SEAFIRE Model "FG150", 5.7 lb (2.6 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0135/0	APPROVED	SEAFIRE Model "FG175", 6.7 lb (3.1 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0136/0	APPROVED	SEAFIRE Model "FG200", 7.6 lb (3.5 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0137/0	APPROVED	SEAFIRE Model "FG225", 8.5 lb (3.9 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0138/0	APPROVED	SEAFIRE Model "FD150", 5.9 lb (2.68 kg) pre-engineered automatic FM200 fire	ext. system w/optional manua
162.029/0139/0	APPROVED	SEAFIRE Model "FD200", 7.8 lb (3.5 kg) pre-engineered automatic FM200 fire	ext. system w/optional manual
162.029/0140/0	APPROVED	SEAFIRE Model "FD250", 9.8 lb (4.45 kg) pre-engineered automatic FM200 fire	ext. system w/optional manua
162.029/0141/0	APPROVED	SEAFIRE Model "FD300", 12.9 lb (5.55 kg) pre-engineered automatic FM200	fire ext. system w/optional ma
162.029/0142/0	APPROVED	SEAFIRE Model "FD350", 14.2 lb (6.45 kg) pre-engineered automatic FM200	fire ext. system w/optional ma
162.029/0143/0	APPROVED	SEAFIRE Model "FD400", 16.3 lb (7.41 kg) pre-engineered automatic FM200 fire	ext. system w/optional manu
162.029/0144/0	APPROVED	SEAFIRE Model "FD450", 18.3 lb (8.32 kg) pre-engineered automatic FM200 fire	ext. system w/optional manu
162.029/0145/0	APPROVED	SEAFIRE Model "FD500", 20.3 lb (9.23 kg) pre-engineered automatic FM200	fire ext. system w/optional ma
162.029/0146/0	APPROVED	SEAFIRE Model "FD600," 24.4 lb (11.09 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0147/0	APPROVED	SEAFIRE Model "FD700", 28.5 lb (12.95 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0148/0	APPROVED	SEAFIRE Model "FD800", 32.5 lb (14.77 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0149/0	APPROVED	SEAFIRE Model "FD900", 31.6 lb (16.64 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0150/0	APPROVED	SEAFIRE Model "FD1000," 40.7 lb (18.50 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0151/0	APPROVED	SEAFIRE Model "FD1100", 45.0 lb (20.45 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0152/0	APPROVED	SEAFIRE Model "FD1200", 49.0 lb (22.27 kg) pre-engineered automatic FM200	fire ext. system w/optional m

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

162.029/0153/0	APPROVED	SEAFIRE Model "FD1300", 53.0 lb (24.9 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0154/0	APPROVED	SEAFIRE Model "FD1400", 57.0 lb (25.9 kg) pre-engineered automatic FM200	fire ext. system w/optional m
162.029/0155/0	APPROVED	SEAFIRE Model "FD1500", 61.0 lb (27.73 kg) pre-engineered automatic FM200	fire ext. system w/optional m

WALTER KIDDE 1394 SOUTH THIRD STREET MEBANE NC 27302

162.029/0156/0	APPROVED	"Fyre Watch" Model "FW75 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 7
162.029/0157/0	APPROVED	"Fyre Watch" Model "FW150 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 1
162.029/0158/0	APPROVED	"Fyre Watch" Model "FW200 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 2
162.029/0159/0	APPROVED	"Fyre Watch" Model "FW300 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 3
162.029/0160/0	APPROVED	"Fyre Watch" Model "FW425 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 4
162.029/0161/0	APPROVED	"Fyre Watch" Model "FW600 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 6
162.029/0162/0	APPROVED	"Fyre Watch" Model "FW750 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 7
162.029/0163/0	APPROVED	"Fyre Watch" Model "FW1100 FE241" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0164/0	APPROVED	"Fyre Watch" Model "FW50 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is 5
162.029/0165/0	APPROVED	"Fyre Watch" Model "FW100 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0166/0	APPROVED	"Fyre Watch" Model "FW125 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0167/0	APPROVED	"Fyre Watch" Model "FW200 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0168/0	APPROVED	"Fyre Watch" Model "FW275 Fm200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0169/0	APPROVED	"Fyre Watch" Model "FW400 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0170/0	APPROVED	"Fyre Watch" Model "FW500 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0171/0	APPROVED	"Fyre Watch" Model "FW750 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is
162.029/0172/0	APPROVED	"Fyre Watch" Model "FW950 FM200" Clean agent, pre-eng. fire ext. system.	Maximum protected volume is

AD-X CORPORATION PO BOX 272 LITTLETON CO 80160

162.029/0012/0	FORMER-MAY USE	Model FRX-3T, pre-engineered Halon 1211.
----------------	----------------	--

ADX FIRE SYSTEMS, INC 2795 SOUTH RARITAN STREET ENGLEWOOD CO 80110

162.029/0064/0	FORMER-MAY USE	Model 4010, 3.0 lb., automatic, pre-engineered Halon 1211, maximum	protected volume 125 gross cubic
162.029/0065/0	FORMER-MAY USE	Model 4020, 409 lb, automatic pre-engineered Halon 1211, maximum protected	volume is 200 gross cubic fee
162.029/0066/0	FORMER-MAY USE	Model 4030, 8.5 lb, automatic pre-engineered Halon 1211, maximum protected	volume is 363 gross cubic feet

AMERICAN SAFETY PRODUCTS 631 MIMOSA DRIVE CLEVELAND TN

162.029/0056/0	FORMER-MAY USE	"Halonite" Model GA-10, 1.0 lb. pre-engineered Halon 1301.	
162.029/0057/0	FORMER-MAY USE	"Halonite" Model GA-15, 1.5 lb. pre-engineered Halon 1301.	
162.029/0058/0	FORMER-MAY USE	"Halonite" Model GA-40, 4.5 lb. pre-engineered Halon 1301.	
162.029/0059/0	FORMER-MAY USE	"Halonite" Model GA-70, 7.0 lb. pre-engineered Halon 1301.	
162.029/0060/0	FORMER-MAY USE	"Halonite" Model GA-100, 10.0 lb. pre-engineered Halon 1301.	
162.029/0061/0	FORMER-MAY USE	"Halonite" Model GA-150, 15.0 lb. pre-engineered Halon 1301.	
162.029/0062/0	FORMER-MAY USE	"Halonite" Model GA-200, 20.0 lb. pre-engineered Halon 1301.	
162.029/0063/0	FORMER-MAY USE	"Halonite" Model JS-10, 1.0 lb, pre-engineered combination Halon 1211 and	1301, maximum protected volum

AUTOMATIC SPRINKLER CORPORATION OF AMERICA 1000 EAST EDGERTON ROAD PO BOX 180 CLEVELAND OH 44147

162.029/0007/0	FORMER-MAY USE	"Halex" Model 8.5, pre-engineered Halon 1301.
162.029/0008/0	FORMER-MAY USE	"Halex" Model 17, pre-engineered Halon 1301.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

162.029/0009/0	FORMER-MAY USE	"Halex" Model 25, pre-engineered Halon 1301.	
162.029/0010/0	FORMER-MAY USE	"Halex" Model 33, pre-engineered Halon 1301.	
162.029/0050/0	FORMER-MAY USE	Model "30C", 3 lb. Halon 1301 pre-engineered fire extinguishing systems.	Maximum protected volume is 150
162.029/0052/0	FORMER-MAY USE	Model "85C", 8.5 lb. Halon 1301 pre-engineered fire extinguishing systems.	Maximum protected volume is 42
162.029/0053/0	FORMER-MAY USE	Model "110C", 11 lb. Halon 1301 pre-engineered fire extinguishing systems.	Maximum protected volume is 35
162.029/0054/0	FORMER-MAY USE	Model "160C", 16 lb. Halon 1301 pre-engineered fire extinguishing systems.	Maximum protected volume is 80
162.029/0055/0	FORMER-MAY USE	Model "200C", 20 lb. Halon 1301 pre-engineered fire extinguishing systems.	Maximum protected volume is 1,

FIKE METAL PRODUCTS CORP 704 SOUTH 10TH STREET BLUE SPRINGS MO 64015

162.029/0001/0	FORMER-MAY USE	FIQuench Model 5-BC1301-M, pre-engineered Halon 1301.
162.029/0003/0	FORMER-MAY USE	FIQuench Model 10-BC1301 -M, pre-engineered Halon 1301.
162.029/0004/0	FORMER-MAY USE	FIQuench Model 20-BC1301-M, pre-engineered Halon 1301.

MHI, INC STAR ROUTE FAIRPLAY ROAD SOMERSET CA 95684

162.029/0026/0	FORMER-MAY USE	"Fire Cheetah" Model 1001, 2 lb., pre-engineered Halon 1301.
162.029/0027/0	FORMER-MAY USE	"Fire Cheetah" Model 1005, 3 lb., pre-engineered Halon 1301.
162.029/0028/0	FORMER-MAY USE	"Fire Cheetah" Model 1009, 5 lb., pre-engineered Halon 1301.
162.029/0029/0	FORMER-MAY USE	"Fire Cheetah" Model 1013, 8 lb., pre-engineered Halon 1301.
162.029/0030/0	FORMER-MAY USE	"Fire Cheetah" Model 1017, 12 lb., pre-engineered Halon 1301.
162.029/0031/0	FORMER-MAY USE	"Fire Cheetah" Model 1021, 16 lb., pre-engineered Halo n 1301.

SEA FIRE MARINE PRODUCTS 4139 SUNSET LANE NORTHBROOK IL 60062

162.029/0011/0	FORMER-MAY USE	Sea Fire Marine Model 75M, pre-engineered Halon 1301.
----------------	----------------	---

162.030

FIRE GUARD CORP 1685 SHERMER ROAD NORTHBROOK IL 60062

162.030/0001/0	FORMER-MAY USE	Models 50A-WM-4370, 50A-WM2-4373, and 50A-WM4-4376, 50 lb. hose reel.
162.030/0002/0	FORMER-MAY USE	Models 75A-WM-13767, 75A-WM2-13768, and 75A-WM4-13769, 75 lb. hose reel.

GENERAL FIRE EXTINGUISHER CORP 8740 WASHINGTON BLVD CULVER CITY CA 90230

162.030/0003/0	FORMER-MAY USE	Models 50A-WM-4370, 50A-WM2-4373, and 50A-WM4-4376, 50 lb. hose reel.
162.030/0004/0	FORMER-MAY USE	Models 75A-WM-13767, 75A-WM2-13768, and 75A-WM4-13769, 75 lb. hose reel.